


Architectural Aluminum Angle


6063-T52 x 20' Equal Leg

| <u>Stock Code</u> | <u>Size in Inches (E x M x S)</u> | <u>Approx. Wt/Lin ft.</u> |
|--------------------|---|---------------------------|
| 11-63-200 | 1/2 x 1/2 x 1/16 | 0.069 |
| 11-63-205 | 3/4 x 3/4 x 1/16 | 0.107 |
| 11-63-210 | 3/4 x 3/4 x 1/8 | 0.206 |
| 11-63-220 | 1 x 1 x 1/16 | 0.144 |
| 24-63-206 | 1 x 1 x 1/16 (x 24' 6" - 6063-T6) | 0.144 |
| 11-63-225 | 1 x 1 x 1/8 | 0.281 |
| 11-63-230 | 1 x 1 x 3/16 | 0.408 |
| 11-63-255 | 1-1/4 x 1-1/4 x 1/8 | 0.356 |
| 11-63-260 | 1-1/4 x 1-1/4 x 3/16 | 0.519 |
| 11-63-270 | 1-1/2 x 1-1/2 x 1/16 | 0.219 |
| 11-63-373 (NC) | 1-1/2 x 1-1/2 x 1/16 | 0.219 |
| 24-63-216 | 1-1/2 x 1-1/2 x 1/16 (x 24' 6" - 6063-T6) | 0.219 |
| 11-63-275 | 1-1/2 x 1-1/2 x 1/8 | 0.431 |
| 24-63-236 | 1-1/2 x 1-1/2 x 1/8 (x 24' 6" - 6063-T6) | 0.431 |
| 11-63-280 | 1-1/2 x 1-1/2 x 3/16 | 0.633 |
| 11-63-295 | 1-3/4 x 1-3/4 x 1/8 | 0.506 |
| 11-63-310 | 2 x 2 x 1/16 | 0.293 |
| <u>52-63-5805A</u> | 2 x 2 x 0.093 (x 24' 3") | 0.440 |
| 11-63-315 | 2 x 2 x 1/8 | 0.581 |
| 11-63-320 | 2 x 2 x 3/16 | 0.859 |
| 11-63-325 | 2 x 2 x 1/4 | 1.124 |
| 11-63-330 | 3 x 3 x 1/8 | 0.881 |
| 11-63-335 | 3 x 3 x 1/4 | 1.725 |



6063-T52 x 20' Unequal Leg

| <u>Stock Code</u> | <u>Size in Inches (E x M x S)</u> | <u>Approx. Wt/Lin ft.</u> |
|---------------------------|--|---------------------------|
| 11-63-350 | 1 x 1/2 x 1/8 | 0.206 |
| MILL ORDER 11-63-479 (NC) | 1-1/4 x 1/2 x 1/8 | 0.244 |
| MILL ORDER 11-63-351 (NC) | 1-1/2 x 1/2 x 1/8 | 0.281 |
| <u>11-63-351A</u> | 1-1/2 x 1/2 x 0.093 Table Rim | 0.208 |
| 11-63-355 | 1-1/2 x 3/4 x 1/8 | 0.319 |
| 11-63-269 | 1-1/2 x 1 x 1/8 | 0.356 |
| 11-63-365 | 2 x 1 x 1/16 | 0.218 |
| 11-63-370 | 2 x 1 x 1/8 | 0.431 |
| 11-63-410 | 2 x 1-1/2 x 1/8 | 0.506 |
| 40-63-128 | 2 x 1-1/2 x 1/8 (x 24' 6" - 6063-T6) | 0.506 |
| 11-63-309 | 2 x 1-1/2 x 3/16 | 0.731 |
| 11-63-375 | 3 x 1 x 1/8 | 0.582 |
| 11-63-390 | 3 x 2 x 1/8 | 0.750 |
| <u>11-61-520</u> | 3 x 2 x 3/16 x 25' (6061-T6) | 1.085 |
| 65-63-072 (DE) | 3.160 x 1.73 x 0.055 (x 24' - 6063-T6) | 0.317 |
| 11-63-393 (DE) | 3-1/2 x 1-1/4 x 1/8 (x 16') | 0.693 |
| 11-63-395 | 4 x 2 x 1/8 | 0.881 |
| 11-63-396 | 4 x 2 x 1/4 | 1.725 |
| 11-63-405 | 5 x 2 x 1/8 | 1.031 |
| 11-63-415 | 7 x 2 x 1/4 (6063-T6) | 2.624 |



Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.

Standards 09



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX

website: www.EasternMetal.com


e-mail: info@EasternMetal.com

version: 11/05/19

Structural Aluminum Angle

6061-T6 x 25'

6061-T6 x 25'



Equal Leg

| <u>Stock Code</u> | <u>(E x M x S)</u> <u>Size in Inches</u> | <u>Approx.</u> <u>Wt/Lin ft.</u> |
|----------------------------------|---|-------------------------------------|
| MILL ORDER <u>11-61-200</u> | 3/4 x 3/4 x 1/8 | 0.201 |
| 11-61-205 | 1 x 1 x 1/8 | 0.280 |
| 11-61-210 | 1 x 1 x 3/16 | 0.406 |
| 11-61-215 | 1 x 1 x 1/4 | 0.514 |
| MILL ORDER <u>11-61-220</u> | 1-1/4 x 1-1/4 x 1/8 | 0.343 |
| 11-61-225 | 1-1/4 x 1-1/4 x 3/16 | 0.522 |
| MILL ORDER <u>11-61-230 (NC)</u> | 1-1/4 x 1-1/4 x 1/4 | 0.656 |
| 11-61-235 | 1-1/2 x 1-1/2 x 1/8 | 0.440 |
| 11-61-240 | 1-1/2 x 1-1/2 x 3/16 | 0.640 |
| 11-61-245 | 1-1/2 x 1-1/2 x 1/4 | 0.830 |
| MILL ORDER | 1-1/2 x 1-1/2 x 3/8 | 1.176 |
| MILL ORDER | 1-3/4 x 1-3/4 x 1/8 | 0.497 |
| <u>11-61-255</u> | 1-3/4 x 1-3/4 x 3/16 | 0.744 |
| 11-61-260 | 1-3/4 x 1-3/4 x 1/4 | 0.980 |
| MILL ORDER | 1-3/4 x 1-3/4 x 3/8 | 1.378 |
| 11-61-265 | 2 x 2 x 1/8 | 0.588 |
| 11-61-270 | 2 x 2 x 3/16 | 0.870 |
| 11-61-275 | 2 x 2 x 1/4 | 1.110 |
| 11-61-280 | 2 x 2 x 3/8 | 1.606 |
| MILL ORDER <u>52-61-1103</u> | 2-1/2 x 2-1/2 x 1/8 | 0.739 |
| 11-61-282 | 2-1/2 x 2-1/2 x 3/16 | 1.070 |
| 11-61-285 | 2-1/2 x 2-1/2 x 1/4 | 1.404 |
| MILL ORDER <u>52-61-1101</u> | 2-1/2 x 2 1/2 x 3/8 | 2.047 |
| 11-61-295 | 3 x 3 x 3/16 | 1.275 |
| 11-61-300 | 3 x 3 x 1/4 | 1.730 |
| 11-61-305 | 3 x 3 x 3/8 | 2.474 |
| <u>11-61-302</u> | 3 x 3 x 1/2 | 3.227 |
| 11-61-310 | 3-1/2 x 3-1/2 x 1/4 | 1.989 |
| MILL ORDER <u>52-61-3776</u> | 3-1/2 x 3-1/2 x 3/8 | 2.926 |
| <u>MILL ORDER 11-61-511 (TX)</u> | 3-1/2 x 3-1/2 x 1/2 | 3.826 |
| 11-61-315 | 4 x 4 x 1/4 | 2.350 |
| 11-61-320 | 4 x 4 x 3/8 | 3.366 |
| 11-61-325 | 4 x 4 x 1/2 | 4.504 |
| 11-61-330 | 5 x 5 x 3/8 | 4.237 |
| <u>11-61-335</u> | 5 x 5 x 1/2 | 5.578 |
| 11-61-340 | 6 x 6 x 3/8 | 5.119 |
| 11-61-345 | 6 x 6 x 1/2 | 6.754 |
| MILL ORDER <u>52-61-575</u> | 8 x 8 x 1/2 | 9.141 |
| MILL ORDER | 8 x 8 x 3/4 | 13.478 |

Unequal Leg

| <u>Stock Code</u> | <u>(E x M x S)</u> <u>Size in Inches</u> | <u>Approx.</u> <u>Wt/Lin ft.</u> |
|----------------------------------|---|-------------------------------------|
| MILL ORDER | 1-1/2 x 1 x 1/8 | 0.356 |
| MILL ORDER <u>11-61-835 (NC)</u> | 1-1/2 x 1 x 1/4 | 0.662 |
| MILL ORDER | 2 x 1-1/2 x 1/8 | 0.496 |
| MILL ORDER <u>11-61-810 (NC)</u> | 2 x 1-1/2 x 3/16 | 0.731 |
| MILL ORDER <u>11-61-904 (NC)</u> | 2 x 1-1/2 x 1/4 | 0.956 |
| MILL ORDER <u>11-61-825 (NC)</u> | 2 x 1-1/2 x 3/8 | 1.378 |
| 11-61-615 | 2-1/2 x 2 x 3/8 | 1.828 |
| 11-61-620 | 3 x 2 x 3/16 | 1.090 |
| 11-61-625 | 3 x 2 x 1/4 | 1.405 |
| 11-61-630 | 3 x 2 x 3/8 | 2.046 |
| MILL ORDER <u>11-61-805 (NC)</u> | 3 x 2-1/2 x 1/4 | 1.537 |
| MILL ORDER | 3 x 2-1/2 x 3/8 | 2.253 |
| <u>11-61-660</u> | 3-1/2 x 3 x 1/4 | 1.842 |
| MILL ORDER | 3-1/2 x 3 x 3/8 | 2.705 |
| MILL ORDER | 3-1/2 x 3 x 1/2 | 3.532 |
| 11-61-680 | 4 x 3 x 1/4 | 1.988 |
| 11-61-685 | 4 x 3 x 3/8 | 2.926 |
| MILL ORDER <u>11-61-690 (MO)</u> | 4 x 3 x 1/2 | 3.826 |
| 11-61-710 | 5 x 3 x 3/8 | 3.349 |
| MILL ORDER <u>11-61-842 (NC)</u> | 5 x 3 x 1/2 | 4.396 |
| 11-61-735 | 6 x 4 x 3/8 | 4.237 |
| <u>11-61-740</u> | 6 x 4 x 1/2 | 5.578 |
| MILL ORDER <u>52-61-3082</u> | 8 x 6 x 1/2 | 7.952 |
| MILL ORDER <u>52-61-2216</u> | 8 x 6 x 3/4 | 11.679 |

Items marked as MILL ORDER are non stock but available.

Product codes listed on MILL ORDER items are for die reference only.

Customer must specify length, alloy & temper.

Standards 10



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX



website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 08/27/20


Aluminum Zees - 6061-T6 x 25'

| <u>Stock Code</u> | <u>Size in Inches (E x M x S)</u> | <u>Approx. Wt/Lin ft.</u> |
|---------------------------|---------------------------------------|-------------------------------|
| 12-61-200 | 1-3/4 x 1-3/4 x 3/16 | 1.076 |
| 12-61-216 | 3 x 2-11/16 x 1/4 x 18' | 2.381 |
| 12-61-201 | 3 x 2-11/16 x 1/4 | 2.381 |
| 12-61-221 | 3 x 2-11/16 x 1/4 x 30' | 2.381 |
| 52-61-2968 | 3 x 2-11/16 x 1/4 x 40' | 2.381 |
| 12-61-220 | 3 x 2-11/16 x 3/8 | 3.381 |
| MILL ORDER 12-61-302 (NC) | 4 x 3-1/16 x 1/4 | 2.848 |
| 12-61-240 | 4-1/16 x 3-1/8 x 5/16 | 3.575 |
| MILL ORDER | 4-1/8 x 3-3/16 x 3/8 | 4.318 |
| MILL ORDER | 5-1/16 x 3-5/16 x 3/8 | 4.844 |
| 12-61-250 | 5 x 3-1/4 x .312 | 4.008 |



Mill Finish Fabbed Z-Bar (D.O.T. with holes and slots)

| | | |
|-------------|-----------------------------|-------|
| 12-61-210 | 1-3/4 x 1-3/4 x 3/16 x 8" | 1.076 |
| 12-61-211FZ | 1-3/4 x 1-3/4 x 3/16 x 11" | 1.076 |
| 12-61-214FZ | 1-3/4 x 1-3/4 x 3/16 x 14" | 1.076 |
| 12-61-220FZ | 1-3/4 x 1-3/4 x 3/16 x 20" | 1.076 |
| 12-61-226FZ | 1-3/4 x 1-3/4 x 3/16 x 26" | 1.076 |
| 12-61-232FZ | 1-3/4 x 1-3/4 x 3/16 x 32" | 1.076 |
| 12-61-238FZ | 1-3/4 x 1-3/4 x 3/16 x 38" | 1.076 |
| 12-61-242FZ | 1-3/4 x 1-3/4 x 3/16 x 42" | 1.076 |
| 12-61-244FZ | 1-3/4 x 1-3/4 x 3/16 x 44" | 1.076 |
| 12-61-246FZ | 1-3/4 x 1-3/4 x 3/16 x 46" | 1.076 |
| 12-61-252FZ | 1-3/4 x 1-3/4 x 3/16 x 52" | 1.076 |
| 12-61-256FZ | 1-3/4 x 1-3/4 x 3/16 x 56" | 1.076 |
| 12-61-120FZ | 1-3/4 x 1-3/4 x 3/16 x 120" | 1.076 |




Fabricated Z-Bar

Aluminum Tees


Architectural Aluminum Tees - 6063-T5 x 20'

| | | |
|-----------|-------------------------------------|-------|
| 12-63-205 | 1 x 1 x 1/8 | 0.280 |
| 25-BD-305 | 2 x 2 x 1/4 (BDA Polished 6463-T67) | 1.097 |




Structural Aluminum Tees - 6061-T6 x 25'

| | | |
|---------------------------|----------------------|-------|
| MILL ORDER | 1 x 1 x 1/8 | 0.313 |
| 12-61-205 | 1-1/2 x 1-1/2 x 3/16 | 0.700 |
| MILL ORDER 52-61-163 | 1-1/2 x 1-1/2 x 1/4 | 0.869 |
| 12-61-215 | 2 x 2 x 1/4 | 1.280 |
| 12-61-218 | 2 x 2 x 1/4 (x 32') | 1.280 |
| MILL ORDER 12-61-309 (NC) | 2-1/2 x 2-1/2 x 5/16 | 1.912 |
| MILL ORDER 52-61-1104 | 3 x 2-1/2 x 5/16 | 2.129 |
| MILL ORDER | 4 x 3 x 3/8 | 3.220 |



Gunwale/Gunnel - 6061-T6

Suggested Applications: Boat Gunwales/Gunnels, Airboat applications
 52-61-672 2.2 x 2 x 1/8 x 32' Mill Finish 0.850



Gunwales/
Gunnel

*Items marked as MILL ORDER are non stock but available.
 Product codes listed on MILL ORDER items are for die reference only.
 Customer must specify length, alloy & temper.*

Standards 11



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 09/02/20