


Boat Trailer Aluminum I-Beam - FULL SIZE

Size in Inches (E x M x S / A) - 6061-T6 Full Radius



4 x 3 x .285 / .170 16-64-205 x 18' 6" 16-64-207 x 20'	2.774 #/ft 51.319 #/pc 55.480 #/pc	7 x 4.5 x .380 / .230 16-64-255 x 28' 16-64-259 x 31'	5.499 #/ft 153.97 #/pc 170.47 #/pc
6 x 4 x .350 / .210 16-64-240 x 25' 16-64-245 x 28'	4.681 #/ft 117.00 #/pc 131.04 #/pc	10 x 6 x .500 / .290 16-64-330 x 40' 16-64-340 x 45'	10.286 #/ft 411.44 #/pc 462.87 #/pc
8 x 5 x .410 / .250 16-64-300 x 30' 16-64-308 x 32' 16-64-310 x 35' 52-61-1711 x 37' 16-64-320 x 40' 52-61-1436 x 45'	7.020 #/ft 210.60 #/pc 224.64 #/pc 245.70 #/pc 259.74 #/pc 280.80 #/pc 315.90 #/pc	12 x 7 x .620/.310 16-64-445 x 45' 16-64-450 x 50' 16-64-455 x 55'	14.098 #/ft 634.41 #/pc 704.90 #/pc 775.39 #/pc



Boat Trailer Aluminum I-Beam - HALF SIZE

Size in Inches (E x M x S / A) - 6061-T6 Full Radius

3.5 x 2.5 x .25 / .15 52-61-4205B x 18' 6" 52-61-2489B x 25'	2.033 #/ft 37.611 #/pc 50.825 #/pc	3.570 x 3 x .260/.175 MILL ORDER x 16' 16-61-307 (NC)	2.478 #/ft 39.648 #/pc
4.5 x 3 x .260/.175 16-61-289 x 13' 16-61-290 x 14' 16-61-295 x 15' 16-61-300 x 16' 16-61-308 x 17' 16-61-310 x 18' 16-61-320 x 18' 6" 16-61-325 x 19' (TX) 16-61-330 x 20' 16-61-335 x 21' 16-61-340 x 22' 16-61-345 x 30'	2.713 #/ft 35.269 #/pc 37.982 #/pc 40.695 #/pc 43.408 #/pc 46.121 #/pc 48.834 #/pc 50.191 #/pc 51.547 #/pc 54.260 #/pc 56.973 #/pc 59.686 #/pc 81.39 #/pc	5.5 x 3.5 x .280/.195 16-61-380 x 16' 16-61-390 x 18' 16-61-395 x 19' 16-61-400 x 20' 16-61-410 x 21' 16-61-415 x 22' 16-61-420 x 23' 16-61-430 x 25' 16-61-435 x 30'	3.524 #/ft 56.384 #/pc 63.432 #/pc 66.956 #/pc 70.480 #/pc 74.004 #/pc 77.528 #/pc 81.052 #/pc 88.100 #/pc 105.72 #/pc
6.5 x 4 x .310/.220 52-61-4587 x 19' 16-61-490 x 20' 16-61-495 x 21' 16-61-500 x 22' 16-61-510 x 23' 16-61-520 x 25' 16-61-525 x 26' 16-61-530 x 27' 16-61-535 x 28' 16-61-540 x 30'	4.561 #/ft 86.659 #/pc 91.220 #/pc 95.781 #/pc 100.342 #/pc 104.903 #/pc 114.025 #/pc 118.586 #/pc 123.147 #/pc 127.708 #/pc 136.830 #/pc	7.5 x 4.375 x .350/.230 16-61-600 x 25' 16-61-605 x 26' 52-61-1379 x 27' 16-61-608 x 28' 16-61-610 x 30' 16-61-620 x 32' 52-61-1339 x 33' 16-61-630 x 35' 16-61-635 x 38'	5.584 #/ft 139.600 #/pc 145.184 #/pc 150.768 #/pc 156.352 #/pc 167.520 #/pc 178.688 #/pc 184.272 #/pc 195.440 #/pc 212.192 #/pc



I-Beam Tie Strap (7/16" holes)

52-63-9356	8-1/2 x 2 x 1/4
52-63-9355	7-3/4 x 2 x 1/4
52-63-9354	6-3/4 x 2 x 1/4
Special Order	5-7/8 x 2 x 1/4

Miscellaneous Fender Brackets
& Tie Plate Spacers are available upon
request


Items marked as MILL ORDER
are non stock but available.
Product codes listed on MILL ORDER
items are for die reference only.
Customer must specify
length, alloy & temper.



Boat Trailer Components

Structural Channel (Aluminum Association - 6061-T6)

Stock Code	Size in Inches	Appr. Wt/Lin ft
13-61-562	8 x 3-3/4 x .410 /.250 (x 32')	5.787
13-61-564	8 x 3-3/4 x .410 /.250 (x 40')	5.787
13-61-571	10 x 3-1/2 x .410 /.250 (x 40')	6.136
13-61-572	10 x 3-1/2 x .410 /.250 (x 45')	6.136
13-61-580	12 x 4 x .470 /.290 (x 50')	8.274



Radius Rectangular Tube - 6061-T6

52-61-1045	1-1/2 x 1/4 x 18'	1.461
20-61-279	2 x 3 x 1/4 x 24'	2.636
52-61-1040	2.45 x 1/4 x 18'	2.640

3" x 3" Straight Cross Members 6061-T6

52-61-749	3 x 3/16 x 18'	2.502
52-61-750	3 x 1/4 x 18'	3.204
52-61-778C	3 x 1/4 x 52-1/2"	3.204
52-61-779	3 x 1/4 x 59-1/2"	3.204
52-61-778A	3 x 1/4 x 71-1/2"	3.204
52-61-778B	3 x 1/4 x 79-1/2"	3.204

3" x 3" Straight Cross Members (6063-T6 for bending)

Available in various lengths and cuts, mitre or straight, for Mill Order quantities

52-63-8188	3 x 3/16 x 25' (.188 radius)	2.502
MILL ORDER	3 x 1/4 x 60" (w/19° Ends - 6061 T6) 52-61-1359	3.204
51-63-897	3 x 1/4 x 18' 3"	3.204
52-63-8441	3 x 1/4 x 25'	3.204

3" x 3" x 3/16" Bent Cross Members (6063-T6) - NEW!

90° End Cut, 2-3/4" depth bend

275-188-59	3 x 3/16 x 59"
275-188-72	3 x 3/16 x 72"
275-188-80	3 x 3/16 x 80"
275-188-100	3 x 3/16 x 100"

6063-T6 for bending
2-3/4" depth



3" x 3" x 1/4" Bent Cross Members (6063-T6)

90° End Cut, 2-3/4" depth bend

275-90-59	3 x 1/4 x 59"
275-90-72	3 x 1/4 x 72"
275-90-80	3 x 1/4 x 80"
275-90-100	3 x 1/4 x 100"
275-90-104	3 x 1/4 x 104"

6063-T6 for bending
3-1/2" depth
19° end cut

19° End Cut, 3-1/2" depth bend; pre-drilled

350-19-63	3 x 1/4 x 63"
350-19-72.5	3 x 1/4 x 72-1/2"
350-19-80.5	3 x 1/4 x 80-1/2"




Grip Rail - NEW!

Stock Code	Description
GR-12	12" Polished & Anodized
GR-14	14" Polished & Anodized
GR-18	18" Polished & Anodized
GR-24	24" Polished & Anodized
GR-36	36" Polished & Anodized



Grip Rails

GRM-12	12" Mill Finish
GRM-14	14" Mill Finish
GRM-18	18" Mill Finish
GRM-24	24" Mill Finish
GRM-36	36" Mill Finish



Cross Members (Straight & Bent)

Double Hollow x 24'


1-00-007 6061 T6 Mill Finish
3 x 3 x .188/.140

0-24" Tongue Projection:

Max Load: 225 lbs

25-30" Tongue Projection:

Max Load: 150 lbs



Standard Double Hollow/Tongue x 24'

52-61-3817 6005A T61 Mill Finish


3 x 4 x .200/.150

0-24" Tongue Projection:

Max Load: 400 lbs

25-30" Tongue Projection:

Max Load: 275 lbs



Standard Double Hollow/Tongue x 24'

52-61-3815 6005A T61 Mill Finish


3 x 5 x .260/.180

0-24" Tongue Projection:

Max Load: 750 lbs

25-30" Tongue Projection:

Max Load: 600 lbs



Heavy Double Hollow/Tongue x 24'

52-61-3816 6005A T61 Mill Finish

3 x 5 x .325/.180


6005A T61 Mill Finish

0-24" Tongue Projection:

Max Load: 850 lbs

25-30" Tongue Projection:

Max Load: 675 lbs



Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY





STANDARDS 27
08/18/22







www.easternmetal.com







FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



BOAT TRAILERS - Bunks, Pads, End Caps & Brackets

<p>4" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-2716 x 6' 40-63-2718 x 8' 40-63-27112 x 12' 40-63-271 x 24'</p> <p>Prefabbed with Bunk Pad 40-63-271F x 6' 40-63-271F8 x 8' 40-63-271F12 x 12'</p> 	<p>8" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-280 x 10' 40-63-273 x 12' 40-63-274 x 14' 40-63-276 x 16' 40-63-275 x 24'</p> <p>Prefabbed with Bunk Pad 40-63-270F x 8' 40-63-280F x 10' 40-63-273F x 12' 40-63-274F x 14' 40-63-276F x 16'</p> 	<p>10" Universal Bunk 6063-T6 Mill Finish (Flat, 19°, 24°, 28°) 40-63-282 x 10' 40-63-281 x 12' 40-63-279 x 14' 40-63-277 x 16' 40-63-278 x 24'</p> <p>Prefabbed with Bunk Pad 40-63-2816F x 6' - NEW! 40-63-278F8 x 8' 40-63-282F x 10' 40-63-281F x 12' 40-63-279F x 14' 40-63-277F x 16' 40-63-283F x 18'</p> 	<p>10" HD Universal Bunk 6005A-T61 Mill Finish (Flat, 19°, 24°, 28°) 40-05-277 x 16' 40-05-278 x 24'</p> <p>Prefabbed with Bunk Pad 40-05-277F x 16'</p> 
--	--	---	---

<p>Universal Bunk Pad x 12' 2" - NEW! HDPE Special 40-HDPE-0516 x 16' 40-HDPE-0520 x 20' For Boat Trailers Only</p> 	<p>Universal Bunk Pad End Caps UNVBUNK Left and Right Universal Bunk End Caps Black Nylon</p> 	<p>2 x 4 Flat Bunk End Cap COMING SOON 1-00-003 6005A-T61 Mill Finish For Boat Trailers & Lifts Accepts #8 SS Flat Head Screws</p> 	<p>2 x 4 Flat Bunk Pad COMING SOON HDPE Special 40-HDPE-2416 x 16' 40-HDPE-2420 x 20' For Boat Trailers Only Can be used with 2 x 4 Wood as well!</p> 	<p>2 x 4 Flat Bunk End Cap COMING SOON</p> 	<p>Flat Bunk Mounting Kit Channel - NEW! For Boat Trailers Only</p> 
---	--	--	---	--	---

<p>Adjustable Bunk Bracket with 4 Holes Accepts 2" Sq. Tube 52-61-0025 x 5" 52-61-002 x 12' 3"</p> 	<p>.300 x 5" Bunk Bracket Angle 40-63-430 2 x 2-1/2 40-63-225 2 x 5-3/4 40-63-220 2 x 8 40-63-218 2 x 10</p> <p>.375 x 5" Bunk Bracket Angle 40-63-212 2.5 x 12 For Boat Trailers Only</p> 	<p>2 x 6 Flat Bunk End Cap COMING SOON 1-00-001 6005A-T61 Mill Finish For Boat Trailers & Lifts Accepts #8 SS Flat Head Screws</p> 	<p>2 x 6 Flat Bunk Pad x 12' - NEW! HDPE Special 40-HDPE-2616 x 16' 40-HDPE-2620 x 20' For Boat Trailers Only Can be used with 2 x 6 Wood as well!</p> 	<p>2 x 6 Flat Bunk End Cap COMING SOON</p> 	<p>Flat Bunk Mounting Kit Square Tube - NEW! For Boat Trailers Only</p> 
--	--	--	---	---	---

Fenders - Single, Tandem and Triple Axle

.100 Tread Brite

	Size in Inches	Wheel Size
Single Axle	(Width x Tip-to-Tip x Height)	
50-00-027571EZ	8 x 31.5 x 14	13"/14"
50-00-306	9 x 28-1/2 x 13-3/4	13"/14"
50-00-302+	9 x 31 x 15+	13"/14"
50-00-308	9 x 33-1/4 x 17-1/2	13"/14"
50-00-303	10 x 31 x 16	14"/15"

Tandem Axle

50-00-309	9 x 60 x 15 (14" Radius)	13"/14"
50-00-304	9 x 62 x 14 (14" Radius)	13"/14"
50-00-311*	10 x 64 x 13 (12-1/2" Radius)*	14"/15"/16"
	*2 oblong holes to attach to knurled step pad	
50-00-311NH**	10 x 64 x 13 (12-1/2" Radius)**	14"/15"/16"
	**NO HOLES	
50-00-310+	10 x 68 x 16 (14-1/2" Radius)+	14"/15"/16"
	+ Also available with sharper side radius	
50-00-403	10 x 72 x 18	14"/15"/16"

Triple Axle

50-00-312	10 x 103 x 18 (15" Radius)	14"/15"/16"
50-00-412	10 x 110 x 18 (15" Radius)	14"/15"/16"

Tear Drop

50-TD-309	9 x 60 x 15 (14" Radius)	13"/14"
50-TD-310	10 x 68 x 16 (14" Radius)	14"/15"/16"

Jeep Style

50-00-501	10 x 32 x 14	13"/14"
50-00-502	10 x 68 x 16	13"/14"
50-00-403J	10 x 72 x 18	14"/15"/16"
50-00-312J	10 x 103 x 18	14"/15"/16"

Tear Drop Conversion Insert (Tread Brite)

50-00-600 Tear Drop conversion insert for 9"/10" Tandem/Triple Fenders

Angled Step Pads (for use with Round Fenders above):

Stock Code	Size in Inches	Approx. Wt/Lin ft
52-61-2814	4 x 1-1/2 x 15"	1.375
16-61-800	4 x 1-1/2 x 12"	1.375
52-61-1857* (TX)	4 x 1-1/2 x 25"	1.538 *with 3rd Leg/Stiffener

90° Knurled Step Pads (for use with Jeep Style

Box Type Fenders & some Round Fenders):

16-61-900	4 x 2 x 13"	1.591
16-61-905	4 x 2 x 15"	1.591
16-61-955	4 x 2 x 15' 5"	1.591

Guide Poles - Single, Tandem and Triple Axle

52-63-9962	1-1/2" x 1/8" x 66" Sq. Tube w/Radius; w/Welded Tab (33" height from tab)
52-63-9963	1-1/2" x 1/8" x 88" Sq. Tube w/Radius; w/Welded Tab (55" height from tab)




Single Axle Fender




Tandem Axle Fender



Tri-Axle Fender



Tear Drop Fender



Tandem Jeep Style Fender




Tear Drop Conversion Insert (Tread Brite)




Turn your standard 9"/10" Double/Triple Axle Fender into Tear Drop Fenders



Angled Step Pad



Angled Step Pad 3rd Leg Stiffener



90° Knurled Step Pad



Guide Pole with Welded Tab

Miscellaneous Fender Brackets & Tie Plate Spacers Available Upon Request

Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY
FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

STANDARDS 29
04/26/23

www.easternmetal.com

