

D.O.T. Picket Rail - Certs available upon request prior to ordering

Top and Bottom Rail:

18-61-240	2" SCH 40 Pipe x 20' - 2-3/8 x 2.067 x .154	1.264
18-61-241	2" SCH 40 Pipe x 24' - 2-3/8 x 2.067 x .154	1.264
18-61-243	2" SCH 40 Pipe x 30' - 2-3/8 x 2.067 x .154	1.264
DOT-61-170	2-1/2" SCH 10 Pipe x 20' - 2-7/8 X 2.635 X .120	1.246

Top and Bottom Rail Splice:

18-61-235	1-1/2" SCH 40 Pipe x 20' - 1.900 x 1.610 x .145	0.940
17-61-215	2-1/2 OD x .125 x 24' Round Tube (6061-T6)	1.090

Post:

19-61-212	2 x .250 Square Tube x 24' (6061-T6)	2.100
20-61-281	2 x 4 x .250 Rect Tube x 24'	3.300

Picket:

18-61-220	3/4" SCH 40 Pipe x 20' - 1.050 x .824 x .113	0.391
18-61-222	3/4" SCH 40 Pipe x 24' - 1.050 x .824 x .113	0.391
14-61-430	3/4" Solid Round Rod x 12' (6061-T6)	0.530

Post Mount:


52-61-2658	5/8 x 6 Flat Bar x 12' (6061-T6511)	4.500
------------	-------------------------------------	-------

Bent End Return:

18-63-240	2" SCH 40 Pipe x 20' (6063-T52)	1.264
52-61-3454	Inner Sleeve mates with 2" SCH 40 Pipe - (6061-T6)	

Fabbed 2" SCH 40 Pipe x 20'

18-61-236	with 3/4" SCH 40 Holes (50 holes per piece) - (6061-T6) Mates with Fabbed DOT Inner Sleeve (18-61-233)	
18-61-233	1-1/2" SCH 40 Pipe - Mates with 18-61-236 - (6061-T6) Fabbed DOT Inner Sleeve x 16"	



DOT Material 6063 Full Certification: (6063-T52 Full Certs Available Upon Request) - NEW!

18-DOT-220	3/4" SCH 40 Pipe x 20'	0.391	17-DOT-136	1-1/2" x 1/8" Round Tube x 24'	0.648
18-DOT-225	1" SCH 40 Pipe x 20'	0.593	14-DOT-225	3/4" Round Bar x 20'	0.530
18-DOT-235	1-1/2" SCH 40 Pipe x 20'	0.940	14-DOT-230	1" Round Rod x 20'	0.942
18-DOT-240	2" SCH 40 Pipe x 20'	1.289			

D.O.T. Round Tube (6061-T6) Aprox.

Stock Code	Description	Wt/Lin ft.			
17-61-200	1-1/2 x 1/8 x 24'	0.648	17-61-220	3 x 1/8 x 24'	1.355
17-61-203	1-1/2 x 1/4 x 24'	1.178	17-61-715	3 x .125 x 15' (Scalloped)	1.259
17-61-205	1-3/4 x 1/8 x 24'	0.750	17-61-324	3 x .125 x 24' (Scalloped)	1.259
17-DOT-100	2 x 1/8 x 12'	0.866	17-DOT-115	3-1/2 x 3/16 x 15'	2.300
17-61-210	2 x 1/8 x 24'	0.866	17-DOT-117	3-1/2 x 3/16 x 17'	2.300
17-DOT-105	2-1/2 x 1/8 x 12' 6"	1.097	17-DOT-116	3-1/2 x 3/16 x 20'	2.300
17-DOT-104	2-1/2 x 1/8 x 13' 6"	1.097	17-DOT-120	4 x 3/16 x 17'	2.647
17-DOT-106	2-1/2 x 1/8 x 15'	1.097	17-DOT-121	4 x 3/16 x 20'	2.647
17-61-215	2-1/2 x 1/8 x 24'	1.097	17-DOT-123	4 x 1/4 x 24'	3.534
17-DOT-110	3 x 1/8 x 13' 6"	1.355	17-DOT-125	4 x 1/4 x 20'	3.534
17-DOT-111	3 x 1/8 x 15'	1.355	17-DOT-130	4-1/2 x 1/4 x 20'	3.924
17-DOT-113	3 x 1/8 x 17'	1.355	17-DOT-132	5 x 1/4 x 20' (6061 T6)	4.470
17-DOT-112	3 x 1/8 x 20'	1.355	17-DOT-139	6 x 1/4 x 20'	5.419
			17-DOT-140	6 x 1/4 x 24'	5.419

D.O.T. Bullet/Bicycle Rail System - Certs Available upon request

4" Bullet/Bicycle Top Cap 6061 T6 Mates with 3" Splice DOT-61-100 x 30' DOT-61-120 x 40' 	3" Bullet Rail Splice DOT-61-130 x 21' 6061 T6 Mates with 4" Top Cap 	Hand Rail Clamp Bar 6061 T6 DOT-61-140 x 21' 	Splice Insert Bar DOT-61-150 x 20' 6061 T6 Mates with 4" Top Cap 	5" x 5" Straight H-Beam 6061-T6 DOT-61-240 x 24' 	Bullet Rail End Cap 21-00-715 #715
--	---	--	---	---	---

Standards 21



EMS FL
 1-800-432-2204
 (561) 588-4780 - fax

EMS NC
 1-800-343-8154
 (704) 391-2267 - fax

EMS TX
 1-800-996-6061
 (281) 656-2297 - fax


EMS MO
 1-888-822-6061
 (314) 344-3349 - fax

Eastern Metal Supply Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX
 Quality Shapes In Aluminum [website: www.EasternMetal.com](http://www.EasternMetal.com) [e-mail: info@EasternMetal.com](mailto:info@EasternMetal.com) [version: 02/28/19](#)

Break Away Sign Pole Bases for Single Column Signs

Sign Pole Bases - Manufactured in accordance with Florida DOT Roadway and Traffic Design Standard Indexes (11860-11865)


Product Code	Size	Product Code	Size
DOT-4-BPB	4"	DOT-5-BPB	5"
DOT-4.5-BPB	4-1/2"	DOT-6-BPB	6"



Break Away Sign Pole Base

Sign Pole Bases with Bolt Kits

DOT-4-BPBPKG	4"	DOT-5-BPBPKG	5"
DOT-4.5-BPBPKG	4-1/2"	DOT-6-BPBPKG	6"



Bolt Kit

Bolt Kits - Hardware meets requirements of ASTM A325 and ASTM A307


Bolt Kits for 4"; 4.5" and 6" Break Away Bases

Product Code Description and Contents

DOT-4-KIT	(4) 5/8" x 3" Hex Bolts • (4) 5/8" Nuts • (12) Flat Washers • (4) 1/2" x 6" Hex Bolts (4) 1/2" Nylon Lock Nuts • (8) 1/2" Flat Washers • (2) Bolt Keepers • (4) Shims
DOT-4.5-KIT	(4) 5/8" x 3-1/4" Hex Bolts • (4) 5/8" Nuts • (12) Flat Washers • (4) 1/2" x 6-1/2" Hex Bolts (4) 1/2" Nylon Lock Nuts • (8) 1/2" Flat Washers • (2) Bolt Keepers • (4) Shims
DOT-5-KIT	(4) 5/8" x 3-1/4" Hex Bolts • (4) 5/8" Nuts • (12) Flat Washers • (4) 1/2" x 6-1/2" Hex Bolts (4) 1/2" Nylon Lock Nuts • (8) 1/2" Flat Washers • (2) Bolt Keepers • (4) Shims
DOT-6-KIT	(4) 3/4" x 4" Hex Bolts • (4) 3/4" Nuts • (12) Flat Washers • (4) 1/2" x 8" Hex Bolts (4) 1/2" Nylon Lock Nuts • (8) 1/2" Flat Washers • (2) Bolt Keepers • (4) Shims

Shims

DOT-2-Shim	FDOT approved shim for single column ground signs
DOT-3-Shim	FDOT approved general purpose shim



DOT Shims


Stock Code	Size (Size x Wall)	Aprox. Wt/Lin ft.
10-61-505	1/2" x 6" x 12'	3.600
52-61-2658	5/8" x 6" x 12'	4.500

Fabbed Soil Plate

DOT-SP-718	1/4" Aluminum Plate (7" x 18") 6061-T6 - NEW!
DOT-14-SP	1/4" Aluminum Plate (8" x 12" x 14") 6061-T6



DOT-SP-718



Aluminum Soil Plate

Steel Soil Plate



Installed Soil Plate: Front & Back views; shown attached with FDOT approved U-bolts

FDOT Approved U-Bolts

ASTM A-307 Galvanized U-Bolts with lock washers and nuts.

DOT-2-UBOLT	2" U-Bolt	DOT-4-UBOLT	4" U-Bolt
DOT-2.5-UBOLT	2-1/2" U-Bolt	DOT-4.5-UBOLT	4-1/2" U-Bolt
DOT-3-UBOLT	3" U-Bolt	DOT-5-UBOLT	5" U-Bolt
DOT-3.5-UBOLT	3-1/2" U-Bolt	DOT-6-UBOLT	6" U-Bolt




U-Bolts

D.O.T. Signage


12" x 2" Sign Panel

MILL ORDER *EMSW14792* Heavy
MILL ORDER *EMSW14794* Medium
MILL ORDER *EMSW14793* Light




6" x 2" Half Sign Panel

MILL ORDER *EMSW14795*




3" x 2.5" Wind Beam

MILL ORDER *EMSW14796*




6" Extruded Street Name Blade x 12' 1"

66-33-111 (TX)



9" Extruded Street Name Blade x 12' 1"

66-33-110 (TX)



Standards 22



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX


website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 01/19/19

Round Aluminum Tube

6063-T5 x 24' (Unless noted otherwise)



Stock Code	Size in Inches (Size x Wall)	Aprox. Wt/Lin ft.
17-63-100	.75 x .065 (.620 ID) (6063 T52)	0.172
17-63-110	.875 x .062 (.751 ID) (6060 T6 - Furniture Grade)	0.190
17-63-105	1 x .062 (.880 ID) x 20' (6060 T6 - Furniture Grade)	0.229
17-63-115FG	1 x .062 (.880 ID) (6060 T6 - Furniture Grade)	0.229
17-63-120	1 x .125 (.750 ID)	0.404
17-63-132	1.250 x .062 (1.126 ID)	0.278
<u>52-63-1272</u>	1.250 x .062 (1.126 ID) (6060 T52 - Furniture Grade)	0.278
17-63-130	1.250 x .090 (1.070 ID)	0.385
<u>17-63-134</u>	1.250 x .125 x 16' (1.000 ID) (6063 T52)	0.530
17-63-133	1.250 x .125 x 20' (1.000 ID) (6063 T52)	0.530
17-63-116	1.500 x .065 (1.370 ID)	0.351
<u>17-63-117</u>	1.500 x .090 (1.320 ID)	0.478
<u>17-61-195</u>	1.500 x .093 (6061)	0.493
17-63-135	1.500 x .125 (1.250 ID)	0.648
17-61-200	1.500 x .125 (1.250 ID) (6061)	0.648
<u>17-T4-135</u>	1.500 x .125 (6063 T4)	0.648
<u>17-63-136</u>	1.500 x .125 x 20' (1.250 ID) (6063 T52)	0.648
<u>17-63-138</u>	1.500 x .125 x 30' (1.250 ID) (6063 T52)	0.648
<u>52-63-9775</u>	C-Insert x 12' - for 1.500 x .125 Tube (6063-T6)	0.347
<u>17-61-203</u>	1.500 x .250 x 24' (6061)	1.178
17-61-205	1.750 x .125 (1.500 ID) (6061)	0.750
17-63-140	2 x .050 (1.900 ID)	0.360
<u>17-63-142</u>	2 x .065 (1.870 ID)	0.474
17-63-141	2 x .125 (1.750 ID)	0.883
17-61-210	2 x .125 (1.750 ID) (6061)	0.883
<u>17-DOT-100</u>	2 x .125 x 12'	0.883
<u>17-63-143</u>	2 x .125 x 20' (1.750 ID) (6063 T52)	0.883
<u>17-61-213</u>	2 x .250 (1.500 ID) (6061)	1.650
MILL ORDER	2.125 x .125 (6463-T67) <u>52-63-7798</u>	0.942
MILL ORDER	2.150 x .125 (6463-T67) <u>52-63-8437</u>	0.953
<u>17-63-212</u>	2.250 x .120 (2.000 ID) (6063 T52)	0.964
17-61-215	2.500 x .125 (2.250 ID) (6061)	1.097
<u>17-DOT-105</u>	2.500 x .125 x 12' 6"	1.097
<u>17-DOT-104</u>	2.500 x .125 x 13' 6"	1.097
<u>17-DOT-106</u>	2.500 x .125 x 15'	1.097
17-63-150	3 x .083 (2.834 ID)	0.895
17-63-155	3 x .125 (2.750 ID)	1.355
17-61-220	3 x .125 (2.750 ID) (6061)	1.355
<u>17-DOT-110</u>	3 x .125 x 13' 6"	1.355
<u>17-DOT-111</u>	3 x .125 x 15'	1.355
<u>17-DOT-113</u>	3 x .125 x 17'	1.355
<u>17-DOT-112</u>	3 x .125 x 20'	1.355
<u>52-61-3149</u>	3 x .293 x 20' (2.415 ID) (6061)	2.986
<u>25-61-300</u>	3 x .540 x 20' (1.920 ID) (6061) Winder Tube	5.008
<u>17-DOT-115</u>	3.500 x .1875 x 15'	2.300
<u>17-DOT-117</u>	3.500 x .1875 x 17'	2.300
<u>17-DOT-116</u>	3.500 x .1875 x 20'	2.300
17-63-160	4 x .125 (3.750 ID)	1.826
17-61-160	4 x .125 (3.750 ID) (6061)	1.826
<u>17-DOT-120</u>	4 x .1875 x 17'	2.647
<u>17-DOT-121</u>	4 x .1875 x 20'	2.647

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.

Round Aluminum Tube (continued)

Stock Code	Size in Inches (Size x Wall)	Aprox. Wt/Lin ft.
17-DOT-123	4 x .250	3.534
<u>17-DOT-125</u>	4 x .250 x 20'	3.534
<u>17-DOT-130</u>	4.500 x .250 x 20'	3.924
17-63-165	5 x .125 (4.750 ID)	2.251
<u>52-61-2429</u>	5 x .188 (6061 T6)	3.410
<u>17-DOT-132</u>	5 x .250 x 20' (6061 T6)	4.470
17-63-170	6 x .125 (5.750 ID) x 20'	2.713
MILL ORDER	6 x .188 (5.624 ID) <u>52-61-3925</u>	4.037
<u>17-DOT-139</u>	6 x .250 x 20'	5.4197
<u>17-DOT-140</u>	6 x .250	5.4197
17-63-175	8 x .125 (7.750 ID) (6063 T6)	3.710
MILL ORDER	8 x .156 (7.688 ID) <u>52-63-6843</u>	4.613

Drawn Tube (6063-T832 x 24')

<u>52-00-004</u>	1.125 x .042 x 16' (1.041 ID)	0.166
	<i>Mates with 17-63-12549 (Clear Anodized)</i>	
MILL ORDER	1.250 x .049 (1.152 ID)	0.217
17-63-12549 (MO)	<i>Mates with 52-00-004 (Clear Anodized)</i>	
MILL ORDER	1.375 x .049 (1.277 ID)	0.240
17-63-137549 (MO)	<i>Mates with 17-63-1549 (Clear Anodized)</i>	
MILL ORDER	1.500 x .049 (1.402 ID)	0.263
17-63-1549 (MO)	<i>Mates with 17-63-137549 (Clear Anodized)</i>	
MILL ORDER	1.875 x .049 (1.777 ID)	0.331
17-63-187549 (MO)	<i>Mates with 17-63-2049 (Clear Anodized)</i>	
MILL ORDER	2.000 x .049 (1.902 ID)	0.353
17-63-2049 (MO)	<i>Mates with 17-63-187549 (Clear Anodized)</i>	

Brite Dipped Drawn Tube

25-BD-460	.750 x .058 x 20'	54 pcs/box
25-BD-463	.875 x .058 x 16'	38 pcs/box
25-BD-465	.875 x .058 x 20'	38 pcs/box
25-BD-467	.875 x .058 x 24'	38 pcs/box
25-BD-469	.875 x .095 x 24'	38 pcs/box

Superbuff Stainless Steel

Tube x 24' 2" - **INCREASED INVENTORIES!**

316 Alloy - best for Saltwater applications

Stock Code	Size in Inches	Lgths./Box
<u>25-316-100</u>	7/8 x 16 GA (.062)	30
<u>25-316-105</u>	1 x 16 GA (.062)	16
<u>25-316-110</u> - NEW!	1-1/4 x 16 GA (.062)	**

304 Alloy

Stock Code	Size in Inches	Lgths./Box
25-304-100	7/8 x 16 GA (.062)	30
25-304-105	1 x 16 GA (.062)	16
25-304-110 - NEW!	1-1/4 x 16 GA (.062)	**

**Individually wrapped pieces shipped per customer order size

Serrated & Fluted/Scalloped Round Tube
See Next Page (Standards 18) for full listing

Standards 19



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 07/15/19

3003 H14 Flattened Expanded Aluminum


Stock Code	Size in Inches
50-00-99	.5 x .081 (48 x 96) .052" SWD x 1.27" LWD; Opening Sizes: .312 SWO x 1.00 LWO .060 Strand Thickness x .187 Strand Width 58% Open Area
51-00-100 (TX)	.5 x .081 (48 x 120) .052" SWD x 1.27" LWD; Opening Sizes: .312 SWO x 1.00 LWO .060 Strand Thickness x .187 Strand Width 58% Open Area
51-00-096	.75 x .125 (48 x 96) .923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO .095 Strand Thickness x .187 Strand Width 62% Open Area
51-00-096R (TX)	.75 x .125 (48 x 96) .923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO .095 Strand Thickness x .187 Strand Width 62% Open Area
51-00-120	.75 x .125 (48 x 120) .923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO .095 Strand Thickness x .187 Strand Width 62% Open Area

Aluminum Sheet & Plate 5052 H38 Alodine Pretreated Sheet

Stock Code	Size in Inches	Approx. Wt/Sheet
50-06-106	.080 x 30 x 96	22.57
50-06-107	.080 x 30 x 120	28.22
50-06-108	.080 x 30 x 144	33.86
50-06-109	.080 x 36 x 96	27.09
50-06-110	.080 x 36 x 120	33.86
50-06-111	.080 x 36 x 144	40.64
50-06-112A	.080 x 48 x 96	36.13
50-06-114	.080 x 48 x 144	53.51
50-06-115	.125 x 30 x 96	35.28
50-06-116	.125 x 30 x 120	44.10
50-06-117	.125 x 30 x 144	52.92
50-06-118	.125 x 36 x 96	41.65
50-06-119	.125 x 36 x 120	52.07
50-06-120	.125 x 36 x 144	62.48
50-06-121	.125 x 48 x 96	56.44
50-06-122	.125 x 48 x 120	70.56
50-06-123	.125 x 48 x 144	84.67

Aluminum Rectangular Bar Grating

Special Order Various Sizes Available Upon Request



Contact your EMS Sales Representative for SPECIAL ORDER Sign Blanks


*See Tubes & D.O.T. Tab (Standards pp 17-20) for additional items

D.O.T. Signage

Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.


12" x 2" Sign Panel

MILL ORDER EMSW14792 Heavy
MILL ORDER EMSW14794 Medium
MILL ORDER EMSW14793 Light




6" x 2" Half Sign Panel

MILL ORDER EMSW14795




3" x 2.5" Wind Beam

MILL ORDER EMSW14796




6" Extruded Street Name Blade x 12' 1"

66-33-111 (TX)



9" Extruded Street Name Blade x 12' 1"

66-33-110 (TX)



Standards 08



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO



1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply
Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX
website: www.EasternMetal.com e-mail: info@EasternMetal.com version: 05/23/19


Aluminum Zees - 6061-T6 x 25'

<u>Stock Code</u>	<u>Size in Inches (E x M x S)</u>	<u>Approx. Wt/Lin ft.</u>
12-61-200	1-3/4 x 1-3/4 x 3/16	1.076
12-61-216	3 x 2-11/16 x 1/4 x 18'	2.381
12-61-201	3 x 2-11/16 x 1/4	2.381
12-61-221	3 x 2-11/16 x 1/4 x 30'	2.381
52-61-2968	3 x 2-11/16 x 1/4 x 40'	2.381
12-61-220	3 x 2-11/16 x 3/8	3.381
MILL ORDER 12-61-302 (NC)	4 x 3-1/16 x 1/4	2.848
12-61-240	4-1/16 x 3-1/8 x 5/16	3.575
MILL ORDER	4-1/8 x 3-3/16 x 3/8	4.318
MILL ORDER	5-1/16 x 3-5/16 x 3/8	4.844
12-61-250	5 x 3-1/4 x .312	4.008



Mill Finish Fabbed Z-Bar (D.O.T. with holes and slots)

12-61-210	1-3/4 x 1-3/4 x 3/16 x 8"	1.076
12-61-211FZ	1-3/4 x 1-3/4 x 3/16 x 11"	1.076
12-61-214FZ	1-3/4 x 1-3/4 x 3/16 x 14"	1.076
12-61-220FZ	1-3/4 x 1-3/4 x 3/16 x 20"	1.076
12-61-226FZ	1-3/4 x 1-3/4 x 3/16 x 26"	1.076
12-61-232FZ	1-3/4 x 1-3/4 x 3/16 x 32"	1.076
12-61-238FZ	1-3/4 x 1-3/4 x 3/16 x 38"	1.076
12-61-242FZ	1-3/4 x 1-3/4 x 3/16 x 42"	1.076
12-61-244FZ	1-3/4 x 1-3/4 x 3/16 x 44"	1.076
12-61-246FZ	1-3/4 x 1-3/4 x 3/16 x 46"	1.076
12-61-252FZ	1-3/4 x 1-3/4 x 3/16 x 52"	1.076
12-61-256FZ	1-3/4 x 1-3/4 x 3/16 x 56"	1.076
12-61-120FZ	1-3/4 x 1-3/4 x 3/16 x 120"	1.076




Fabricated Z-Bar

Aluminum Tees - 6061-T6 x 25'


Architectural Aluminum Tees - 6063-T5 x 20'

12-63-205	1 x 1 x 1/8	0.280
-----------	-------------	-------



Structural Aluminum Tees - 6061-T6 x 25'


MILL ORDER	1 x 1 x 1/8	0.313
12-61-205	1-1/2 x 1-1/2 x 3/16	0.700
MILL ORDER 52-61-163	1-1/2 x 1-1/2 x 1/4	0.869
12-61-215	2 x 2 x 1/4	1.280
12-61-218	2 x 2 x 1/4 (x 32')	1.280
MILL ORDER 12-61-309 (NC)	2-1/2 x 2-1/2 x 5/16	1.912
MILL ORDER 52-61-1104	3 x 2-1/2 x 5/16	2.129
MILL ORDER	4 x 3 x 3/8	3.220



Gunwale/Gunnel - 6061-T6

Suggested Applications: Boat Gunwales/Gunnels, Airboat applications

52-61-672	2.2 x 2 x 1/8 x 32' Mill Finish	0.850
-----------	---------------------------------	-------



Gunwales/
Gunnel

*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*

Standards 11



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Akron, OH, Van Buren, AR; Atlanta, GA and Dallas, TX

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 02/23/18